




Airway Management

Clinically-Approved
Life-Saving Partners





CONTENTS

10

Durable Manual Resuscitator

14

Disposable Manual Resuscitator

19

Laryngoscope

23

Breathing Assessment

29

Emergency Care

32

Accessories (Mask, Diverter, Valves, Filter and Other Supporting Items)

43

Product Index

47

Symbols and Cleaning Instructions



Airway Management

| | |
|-----------------------------------------------|-------|
| MR-100 Plus™ Resuscitator | 11 |
| MR-100™ Resuscitator | 12 |
| Rescu-7™ Resuscitator | 13 |
| Rescu-6™ Resuscitator | 15 |
| Dispo-Bag™ Resuscitator | 16 |
| Hyperinflation system | 17 |
| nBag | 18 |
| | |
| Fiber Optic Laryngoscope Set | 21-22 |
| Standard Laryngoscope Set | 21-22 |
| | |
| GiO™ Digital Pressure Gauge | 24 |
| GiO™ Digital Pressure Gauge Accessories | 25 |
| GiO™ NIF Filtration Valve | 25 |
| Eco-Cuff Syringe Kit | 25 |
| Disposable Pressure Manometer | 26 |
| nAPV Circuit | 27 |
| Babi.Plus™ nTest Lung/ Venti. Plus™ Test Lung | 28 |
| | |
| Guedel Airway Management Kit | 30 |
| Berman Airway Management Kit | 30 |
| CPR-Super™ MaskSuper | 31 |
| Smile-Vac Handheld Suction | 31 |
| | |
| Mask | 33-35 |
| Diverter | 36 |
| PEEP Valves and Resuscitator Accessories | 37-39 |
| Filter | 40-41 |
| ISO Mount Resuscitator Hanger | 42 |
| ISO Wall Mount Cradle | 42 |
| Compact Storage Case | 42 |

Your Best Choice for Emergency Resuscitation


Airway management equipment is ubiquitous presence throughout the hospital and virtually anywhere where patient care is administered.

Galeded provides a comprehensive line of products and technologies for airway management. The improved design to make its convenience to use and also maintains the outstanding quality that healthcare professionals rely on.

Specialized manual resuscitators from neonates to adults: MR-100 Plus™, MR-100™, Rescu-7™, Rescu-6™, Dispo-Bag™, Hyperinflation System, nBag and related devices, will improve patient outcomes while helping to reduce the cost of care.



MANUAL RESUSCITATOR PORTFOLIO



Manual Resuscitator Type

Our manual resuscitator is available in Adult, Child, and Infant sizes - allowing clinicians get closer to match patients' needs without hyperventilation also offers 2 different types of material properties : DURABLE and DISPOSABLE.

DURABLE MANUAL RESUSCITATOR



- Cost-effective and eco-friendly option.
- Autoclavable up to 134°C (Manual Resuscitators of silicone and polysulfone(PSF)).
- Material allows for long product life and has been tested to withstand high-level disinfection and steam sterilization, so no concerns on cross-contamination or infectious disease would occur.
- The silicone optimizes the resuscitator to be soft and lightweight to grasp without causing fatigue to the rescuers during extended ventilation.


DISPOSABLE MANUAL RESUSCITATOR






- Integrated patient valve for easily cleaning the bloody fluid and secretion from bill valve.
- Designed with lightweight material, Polyvinyl Chloride (PVC) and Polycarbonate (PC). It brings patients more comfort.
- It is designed to be used on patients with great comfort and eliminating the risk of cross-contamination during emergency resuscitation.

Mechanism

Bag Compressed









Bag Reinflated



MANUAL RESUSCITATOR RANGES

Disposable & Reusable Resuscitators

| Type | Photo | Material | | | | REF | Specification | | | | | | | |
|------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------------|----------------------------|----------------------------------------|---------------|------------------------------------|-------------------|--------------------|------------------|----------|-----|-----------------|
| | | Housing | Compressed Bag | Reservoir | Mask | | Mask Size | Pop-Off Valve (cmH ₂ O) | Bag capacity (ml) | Reservoir Bag (ml) | Oxygen Tube (cm) | QTY | | |
| Reusable | MR-100 Plus™ |  | PSF | Silicone | Silicone | Cushion: Silicone Housing: Silicone | AR0059 | #5 | — | 1500 | 2000 | SILICONE | 200 | 12 boxes/carton |
| | | | | | | | AR0056 | #4 | 60 | 1500 | 2000 | SILICONE | 200 | |
| | | | | | | | AR0063 | — | — | 1500 | — | — | — | |
| | | | | | | | AR0060 | — | 60 | 1500 | — | — | — | |
| | | | | | | | AR0057 | #3 | 40 | 550 | 1000 | SILICONE | 200 | |
| | | | | | | | AR0061 | — | 40 | 550 | — | — | — | |
| | | | | | | | AR0060 | — | 40 | 280 | — | — | — | |
| | | | | | | | AR0058 | #0 | 40 | 280 | 500 | SILICONE | 200 | |
| | MR-100™ |  | PSF | Silicone | PVC | Cushion: Silicone Housing: PSF | AR0055 | #4 | 60 | 1600 | 2500 | PVC | 200 | |
| | | | | | | | AR0001 | #5 | 60 | 1600 | 2500 | PVC | — | |
| | | | | | | | AR0010 | — | 60 | 1600 | — | — | — | |
| | | | | | | | AR0009 | #2 | 40 | 550 | 2500 | PVC | 200 | |
| | Rescu-7™ |  | PC | Silicone | PVC | Cushion: Silicone Housing: PC | AR0011 | #5 | 60 | 1500 | 2500 | PVC | 200 | |
| | | | | | | | AR0066 | #5 | — | 1500 | 2500 | PVC | 200 | |
| | | | | | | | AR0067 | #2 | 40 | 550 | 2500 | PVC | 200 | |
| AR0070 | | | | | | | #0 | 40 | 280 | 600 | PVC | 200 | | |
| AR0030 | | | | | | | #5 | 60 | 1500 | 1000 | PEVA | 200 | | |
| Disposable | Rescu-6™ |  | PC | SEBS | PEVA | Cushion: PVC Housing: PVC | AR0031 | — | 60 | 1500 | 1000 | PEVA | 200 | |
| | | | | | | | AR0029 | #3 | 40 | 600 | 1000 | PEVA | 200 | |
| | | | | | | | AR0028 | #1 | 40 | 280 | 500 | PEVA | 200 | |
| | | | | | | | AR0081 | Airsoft #5 | 60 | 1500 | 1000 | PE | 200 | |
| | | | | | | | AR0082 | — | 60 | 1500 | 1000 | PE | 200 | |
| | Dispo-Bag™ |  | PC/PP | PVC | PE | Cushion: PVC Housing: PVC | AR0076 | — | — | 1500 | 1000 | PE | 200 | |
| | | | | | | | AR0078 | — | 40 | 550 | 1000 | PE | 200 | |
| | | | | | | | AR0022 | Airsoft #2 | 40 | 550 | 1000 | PE | 200 | |
| | | | | | | | AR0079 | Airsoft #0 | 40 | 280 | 500 | PE | 200 | |
| | | | | | | | AN0003 | — | 25 or 40 | 70 | 225 | 200 | | |
| nBag |  | ABS/PP/PC | Silicone | PP (Reservoir tube) | Cushion: PVC Housing: - | AN0003 | — | 25 or 40 | 70 | 225 | 200 | | | |

MR-100 Plus™ Manual Resuscitator   



40 / 60 cmH₂O Safety Valve

Release excessive pressure at fixed level



High transparency silicone bag

Rapid recoil for optimum ventilation



All-in-one intake valve

Reduce assembly time



High transparency silicone reservoir bag

Longer life span for sterilization

Order information


| Housing | Compressed Bag | Reservoir Bag | Mask | Oxygen Tube | Valve |
|---------|----------------|-----------------------------|-------------------------------------|-------------|----------|
| PSF | Silicone | Bag: Silicone Coupling: PSF | Cushion: Silicone Housing: Silicone | PVC | Silicone |

| REF | Description | Mask Size | Pop-Off (cmH ₂ O) | Bag capacity (ml) | Reservoir Bag (ml) | Oxygen Tube (length:2 m) | QTY |
|--------|-------------------------------------------|-----------|------------------------------|-------------------|--------------------|--------------------------|-----------------|
| AR0056 | MR-100 Plus Resuscitator set, Adult w/Pop | #4 | 60 | 1500 | 2000 (Silicone) | ● | 12 boxes/carton |
| AR0064 | MR-100 Plus Resuscitator, Adult | #4 | 60 | 1500 | 2000 (Silicone) | N/A | 12 boxes/carton |
| AR0060 | MR-100 Plus Resuscitator, Adult w/Pop-Off | N/A | 60 | 1500 | N/A | N/A | 12 boxes/carton |
| AR0044 | MR-100 Plus Resuscitator Kit, Adult | #3, 4, 5 | N/A | 1500 | 2000 (Silicone) | ● | 10 boxes/carton |
| AR0059 | MR-100 Plus Resuscitator set, Adult | #5 | N/A | 1500 | 2000 (Silicone) | ● | 12 boxes/carton |
| AR0063 | MR-100 Plus Resuscitator, Adult | N/A | N/A | 1500 | N/A | N/A | 12 boxes/carton |
| AR0045 | MR-100 Plus Resuscitator Kit, Child | #1, 2, 3 | 40 | 550 | 1000 (Silicone) | ● | 10 boxes/carton |
| AR0057 | MR-100 Plus Resuscitator, Child | #3 | 40 | 550 | 1000 (Silicone) | ● | 12 boxes/carton |
| AR0061 | MR-100 Plus Resuscitator, Child | N/A | 40 | 550 | N/A | N/A | 12 boxes/carton |
| AR0046 | MR-100 Plus Resuscitator Kit, Infant | #0, 1 | 40 | 280 | 500 (Silicone) | ● | 10 boxes/carton |
| AR0058 | MR-100 Plus Resuscitator, Infant | #0 | 40 | 280 | 500 (Silicone) | ● | 12 boxes/carton |
| AR0062 | MR-100 Plus Resuscitator, Infant | N/A | 40 | 280 | 600 (PVC) | N/A | 12 boxes/carton |

Durable Manual Resuscitator



MR-100™ Manual Resuscitator



| Order information | | | | | | | |
|-------------------|----------------|---------------|---------------|-------------------|--------------|-------------|----------|
| Housing | Compressed Bag | Reservoir Bag | | Mask | | Oxygen Tube | Valve |
| PSF | Silicone | Bag: Silicone | Coupling: PSF | Cushion: Silicone | Housing: PSF | PVC | Silicone |

| REF | Description | Mask Size | Pop-Off (cmH ₂ O) | Bag capacity (ml) | Reservoir Bag (ml) | Oxygen Tube (length:2 m) | QTY |
|--------|--------------------------------------------|------------|------------------------------|-------------------|--------------------|--------------------------|-----------------|
| AR0055 | MR-100 Resuscitator set, Adult w/Pop-Off | #4 | 60 | 1600 | 2500 (PVC) | ● | 12 boxes/carton |
| AR0104 | MR-100II Resuscitator set, Adult | #5 | 60 | 1500 | 2500 (PVC) | ● | 12 boxes/carton |
| AR0116 | MR-100II Resuscitator set, Adult w/Pop-Off | #5 | 60 | 1500 | 2000 (Silicone) | N/A | 12 boxes/carton |
| AR0001 | MR-100II Resuscitator, Adult | #5 | 60 | 1500 | 2500 (PVC) | N/A | 12 boxes/carton |
| AR0010 | MR-100 Resuscitator, Adult | N/A | 60 | 1600 | N/A | N/A | 12 boxes/carton |
| AR0102 | MR-100II Resuscitator Kit, Adult | #3, #4, #5 | N/A | 1500 | 2500 (PVC) | ● | 10 boxes/carton |
| AR0117 | MR-100II Resuscitator, Adult | N/A | N/A | 1500 | N/A | N/A | 12 boxes/carton |
| AR0009 | MR-100 Resuscitator set, Child | #2 | 40 | 550 | 2500 (PVC) | ● | 12 boxes/carton |
| AR0115 | MR-100 Resuscitator set, Child | #3 | 40 | 550 | 1000 (Silicone) | N/A | 12 boxes/carton |
| AR0114 | MR-100 Resuscitator, Child | N/A | 40 | 550 | N/A | N/A | 12 boxes/carton |
| AR0002 | MR-100 Resuscitator set, Infant | #0 | 40 | 280 | 600 (PVC) | ● | 12 boxes/carton |
| AR0039 | MR-100 Resuscitator, Infant | #1 | 40 | 280 | 600 (PVC) | N/A | 12 boxes/carton |
| AR0113 | MR-100 Resuscitator set, Infant | #1 | 40 | 280 | 500 (Silicone) | N/A | 12 boxes/carton |
| AR0112 | MR-100 Resuscitator, Infant | N/A | 40 | 280 | N/A | N/A | 12 boxes/carton |

Rescu-7™ Manual Resuscitator



| Order information | | | | | | |
|-------------------|----------------|---------------|-------------------|-------------|-------------|----------|
| Housing | Compressed Bag | Reservoir Bag | Mask | | Oxygen Tube | Valve |
| PC | Silicone | PVC | Cushion: Silicone | Housing: PC | PVC | Silicone |

| REF | Description | Mask Size | Pop-Off (cmH ₂ O) | Bag capacity (ml) | Reservoir Bag (ml) | Oxygen Tube (length:2 m) | QTY |
|--------|-----------------------------------------------------|-----------|------------------------------|-------------------|--------------------|--------------------------|---------------|
| AR0011 | R7 Resuscitator, Adult, w/ Mask | #5 | 60 | 1500 | 2500 | ● | 12 box/carton |
| AR0066 | R7 Resuscitator, Adult w/ Mask, Reservoir (w/o NRV) | #5 | N/A | 1500 | 2500 | ● | 12 box/carton |
| AR0067 | R7 Resuscitator, Child w/ Mask, Reservoir | #2 | 40 | 550 | 2500 | ● | 12 box/carton |
| AR0070 | R7 Resuscitator, Infant w/ Mask | #0 | 40 | 280 | 600 | ● | 12 box/carton |
| AR0106 | R7 Resuscitator kit, adult | N/A | 60 | 1500 | 2500 | ● | 12 box/carton |
| AR0109 | R7 Resuscitator, Adult | N/A | 60 | 1500 | 2500 | ● | 12 box/carton |




Disposable Manual Resuscitator



Disposable Manual Resuscitator

Rescu-6™ Manual Resuscitator



Built-in airway pressure gauge

For monitoring airway and lung pressure



40 / 60 cmH₂O Safety Valve

Release excessive pressure at fixed level



CO₂ measuring port

For air circulation ratio measurement



Resuscitator bag

Non-PVC material and fast rebound

Order information

| Housing | Compressed Bag | Reservoir Bag | Mask | Oxygen Tube | Valve |
|---------|----------------|---------------|------------------------------|-------------|----------|
| PC | SEBS | PEVA | Cushion: PVC Housing: PVC | PVC | Silicone |

| REF | Description | Mask Size | Pop-Off (cmH ₂ O) | Bag capacity (ml) | Reservoir Bag (ml) | Oxygen Tube (length:2 m) | QTY |
|--------|-------------------------------------|-----------|------------------------------|-------------------|--------------------|--------------------------|---------------|
| AR0027 | R6 Resuscitator, Infant w/ Mask, #1 | #1 | 40 | 280 | 500 | ● | 12 pcs/carton |
| AR0028 | R6 Resuscitator, Infant w/ Mask | N/A | 40 | 280 | 500 | ● | 12 pcs/carton |
| AR0029 | R6 Resuscitator, Child w/ Mask, #3 | #3 | 40 | 600 | 1000 | ● | 12 pcs/carton |
| AR0030 | R6 Resuscitator, Adult w/ Mask, #5 | #5 | 60 | 1500 | 1000 | ● | 12 pcs/carton |
| AR0031 | R6 Resuscitator, Adult | N/A | 60 | 1500 | 1000 | ● | 12 pcs/carton |

Dispo-Bag™ Manual Resuscitator



Monitoring Port
Allows attachment to pressure or CO₂ monitoring system



40 / 60 cmH₂O Safety Valve
Release excessive pressure at fixed level



30 mm O.D. Exhale Port
Connection to diverter cap or PEEP valve




High transparency bag
Slip-free texture and arrow-shape bag

Order information

| Order information | | | | | | | |
|-------------------|---------------------------------------|---------------|------------------------------|-------------------|--------------------|--------------------------|---------------|
| Housing | Compressed Bag | Reservoir Bag | Mask | | Oxygen Tube | Valve | |
| PC/PP | PVC | PE | Cushion: PVC | Housing: PVC | PVC | Silicone | |
| REF | Description | Mask Size | Pop-Off (cmH ₂ O) | Bag capacity (ml) | Reservoir Bag (ml) | Oxygen Tube (length:2 m) | QTY |
| AR0081 | DispoBag, Adult w/Pop-Off, Mask | #5 | 60 | 1500 | 1000 | ● | 12 pcs/carton |
| AR0082 | DispoBag, Adult w/Pop-Off, Reservoir | N/A | 60 | 1500 | 1000 | ● | 12 pcs/carton |
| AR0012 | DispoBag, Adult, w/Mask, Reservoir | #5 | N/A | 1500 | 1000 | ● | 12 pcs/carton |
| AR0076 | DispoBag, Adult, w/ Reservoir | N/A | N/A | 1500 | 1000 | ● | 12 pcs/carton |
| AR0085 | DispoBag, Child-L, w/Pop-Off, Mask | #3 | 40 | 1100 | 1000 | ● | 12 pcs/carton |
| AR0022 | DispoBag, Child w/Pop-Off, Mask | #2 | 40 | 550 | 1000 | ● | 12 pcs/carton |
| AR0078 | DispoBag, Child w/Pop-Off, Reservoir | N/A | 40 | 550 | 1000 | ● | 12 pcs/carton |
| AR0079 | DispoBag, Infant w/Pop-Off, Mask | #0 | 40 | 280 | 500 | ● | 12 pcs/carton |
| AR0080 | DispoBag, Infant w/Pop-Off, Reservoir | N/A | 40 | 280 | 500 | ● | 12 pcs/carton |

Hyperinflation System



Swivel elbow
Permit 360° positioning of the resuscitator in relation to the patient



Suction Port
Permit convenient suction without disengagement



Pressure Manometer
Allow real-time pressure measurement



Exhalation Port
Circular smooth adjustable exhalation port valve controls pressure level




Hyperinflation Bag
Soft breathing bag with response of the lung compliance

Hyperinflation System includes a built-in pressure manometer which ranges 0-60 cmH₂O with accuracy of 5 cmH₂O. It continuously monitors the pressure that enters patient's lung, maximizing the survival rate.

| REF | Description | QTY |
|--------|-------------------------------------------|---------------|
| AR0023 | Venti.Plus Hyperinflation Kit, 0.25 L | 20 pcs/carton |
| AR0024 | Venti.Plus Hyperinflation Kit, 0.5 L | 20 pcs/carton |
| AR0025 | Venti.Plus Hyperinflation Kit, 0.5 L Mask | 10 pcs/carton |
| AR0026 | Venti.Plus Hyperinflation Kit, 1.0 L | 20 pcs/carton |

nBag 



Pressure Monitoring Port

Allow prompt pressure measurement

Pressure Safety Valve

Allow limiting level adjustment of 25 cmH₂O and 40 cmH₂O

Resuscitation Volume

Precise volume prevents baby from volutrauma

Babi.Plus® nBag minimizes patient's risk during operation through two pressure limiting levels, 25 cmH₂O and 40 cmH₂O. With the unique design, it's able to deliver two different smaller stroke volume, 20 ml or 50 ml. This safe pulmonary-assisted device, which is specially designed for premature and newborn infant up to 5 kg, is made of biocompatible, latex and phthalate-free silicone material.

| Order information | | | | | |
|-------------------|-------------------------------|------------------|-----------------------------------|-------------|----------|
| Housing | Compressed Bag | Reservoir Tubing | Mask | Oxygen Tube | Valve |
| ABS/PC/PP | Silicone | PP (tubing) | Cushion: Silicone Housing: N/A | PVC | Silicone |
| REF | Description | QTY | | | |
| AN0003 | nBag Resuscitator | 12 pcs/carton | | | |
| AN0082 | nBag Resuscitator w/ Mask, #0 | 12 pcs/carton | | | |



Laryngoscope



Laryngoscope Set



- AW0025** Laryngoscope Set, Fiber Optic, #2~4
- AW0026** Laryngoscope Set, Fiber optic, #1~3
- AW0016** Laryngoscope Set, conventional, #2~4
- AW0071** Laryngoscope Set, conventional, #1~3

Package: 12 boxes/carton

Fiber Optic Laryngoscope

Handle



- Fit all kinds of blades without specific connectors.
- Surgical grade stainless steel is easy to clean and disinfect.
- Made of fine metal-craft for a good quality and consistency. Conform to ISO standard with green label on the handle.

Blade



- Smooth edges, round tip and high quality surface finish.
- Two different blades, Miller and Macintosh, are available for more flexibility and applications.

Bulb



- A clear fiber optic light guide allows efficient light transmission.
- Longer battery life for better brightness and less distortion.

Conventional Laryngoscope Set

Handle



- Fit all kinds of blades without specific connectors.
- Surgical grade stainless steel provides strength and durability.
- Easy to clean and disinfect.
- The grip surface is non-slip design, making it easier to grasp during operation.

Blade



- The stainless steel blade with fine surface texture stays cool to touch, minimizing the risk of thermal injury.
- Two different blades, Miller and Macintosh, are available for more flexibility and applications.

Bulb



- A clear fiber optic light guide allows efficient light transmission.
- Longer battery life.
- Light bulb is incorporated into the blade.

Laryngoscope

Provides a full range of blades including Macintosh and Miller blades with highly efficient fiber optic components for better brightness and less distortion. Made of stainless steel material with fine surface texture, which is economy for autoclavable.

Fiber Optic Laryngoscope

| REF | Description | Type | QTY |
|--------|----------------------------------------------|-----------|-------------|
| AW0033 | Laryngoscope Handle, Fiber Optic, S | - | 50 pcs/box |
| AW0034 | Laryngoscope Handle, Fiber Optic, M | - | 50 pcs/box |
| AW0035 | Laryngoscope Handle, Fiber Optic, L | - | 50 pcs/box |
| AW0027 | Laryngoscope Blade #0, Fiber Optic | Macintosh | 50 pcs/box |
| AW0028 | Laryngoscope Blade #1, Fiber Optic | Macintosh | 50 pcs/box |
| AW0029 | Laryngoscope Blade #2, Fiber Optic | Macintosh | 50 pcs/box |
| AW0030 | Laryngoscope Blade #3, Fiber Optic | Macintosh | 50 pcs/box |
| AW0031 | Laryngoscope Blade #4, Fiber Optic | Macintosh | 50 pcs/box |
| AW0032 | Bulb for Laryngoscope Handle | - | 336 pcs/box |
| AW0036 | Laryngoscope Blade, Miller, #0, Fiber Optic | Miller | 50 pcs/box |
| AW0037 | Laryngoscope Blade, Miller, #1, Fiber Optic | Miller | 50 pcs/box |
| AW0038 | Laryngoscope Blade, Miller, #2, Fiber Optic | Miller | 50 pcs/box |
| AW0039 | Laryngoscope Blade, Miller, #3, Fiber Optic | Miller | 50 pcs/box |
| AW0040 | Laryngoscope Blade, Miller, #4, Fiber Optic | Miller | 50 pcs/box |
| AW0041 | Laryngoscope Blade, Miller, #00, Fiber Optic | Miller | 50 pcs/box |

Conventional Laryngoscope


| REF | Description | Type | QTY |
|--------|--------------------------------|---------------------------------------|-------------|
| AW0019 | Laryngoscope Handle, S | - | 50 pcs/box |
| AW0020 | Laryngoscope Handle, M | - | 50 pcs/box |
| AW0017 | Laryngoscope Blade, #0 | Macintosh | 50 pcs/box |
| AW0018 | Laryngoscope Blade, #3 | Macintosh | 50 pcs/box |
| AW0072 | Laryngoscope Blade, #4 | Macintosh | 50 pcs/box |
| AW0021 | Laryngoscope Blade, Miller, #0 | Miller | 50 pcs/box |
| AW0022 | Laryngoscope Blade, Miller, #1 | Miller | 50 pcs/box |
| AW0023 | Laryngoscope Blade, Miller, #2 | Miller | 50 pcs/box |
| AW0024 | Bulb for Laryngoscope Blade | Macintosh #0 Miller #0/1 | 336 pcs/box |
| AW0076 | Bulb for Laryngoscope Blade | Macintosh #1/2/3/4/5 Miller #2/3/4 | 336 pcs/box |



Breathing Assessment



GiO™ Digital Pressure Gauge



GiO™ Digital Pressure Gauge is an economical, portable and compact device enables the measurement and display of pressure values in a single instrument to fulfill pressure monitoring needs. Besides, we have different specifications of gauge to meet the needs of different situations.



- 1 **GiO™** Manometer (AQ0015 / **GiO™** Manometer, -250~250cmH₂O)
- 2 Elbow Connector 7.6M, 6B
- 3 Straight Luer 7.6M, 4.3M Leur
- 4 Elbow Connector 7.6M, 4.3B
- 5 Hydrophobic Filter 7.6M, 4.3F Leur
- 6 Pressure line 50cm, 4.3M Leur
- 7 Silicone Pressure Line 50cm, 4.3M Leur
- 8 Lithium Battery

| REF | Description | QTY |
|---------------|--------------------------------------------|---------------|
| AQ0008 | GiO Manometer, 0~30 cmH ₂ O | 10 pcs/carton |
| AQ0012 | GiO Manometer, 0~80 cmH ₂ O | 10 pcs/carton |
| AQ0013 | GiO Manometer, -30~100 cmH ₂ O | 10 pcs/carton |
| AQ0014 | GiO Manometer, -60~0 cmH ₂ O | 10 pcs/carton |
| AQ0015 | GiO Manometer, -250~250 cmH ₂ O | 10 pcs/carton |
| AQ0016 | GiO Manometer, -100~0 cmH ₂ O | 10 pcs/carton |
| AF0003 | Hydrophobic Filter, 7.6M w/Luer | 10 pcs/carton |

GiO™ Digital Pressure Gauge Accessories



GiO™ MIP / MEP Kit

- Connect to **GiO™**(AP0005) for MIP or MEP measurement.
- Each kit includes 2 separate One Way Valve (MEP valve and MIP valve), bacterial filter and mouthpiece.
- A soft, anatomic and comfortable mouthpiece provides better seal.
- Single use interface minimizes the risk of cross contamination.

- 1 **GiO™** Manometer (AQ0015 / **GiO™** Manometer, -250~250cmH₂O)
- 2 Hydrophobic Filter
- 3 Silicone Pressure Line
- 4 One Way Valve
- 5 Bacterial Filter with 4.3F Port
- 6 Mouthpiece

| REF | Description | QTY |
|---------------|-------------|---------------|
| AP0005 | MIP/MEP Kit | 20 pcs/carton |



GiO™ NIF Filtration Valve

- Single use interface minimizes the risk of cross contamination.
- Flexible extension tube with standard 15mm connector.
- Filtration valve regulates and filters air and sputum during measurement.
- Mouthpiece or connectors for tracheostomy tube and endotracheal attachment.

AP0003 NIF Kit

Package: 30 pcs/carton

- 1 **GiO™** Manometer (AQ0014 / **GiO™** Manometer, -60~0 cmH₂O)
- 2 NIF Valve With Filter
- 3 Collapsible Tube
- 4 Mouthpiece



Eco-Cuff Syringe Kit

- Eco-Cuff is designed to inflate and monitor the cuff pressure of endotracheal tube or tracheal tube.
- Single use interface minimizes risk of cross-contamination.

AP0001 Eco-Cuff Syringe Kit

Package: 5 pcs/carton

- 1 **GiO™** Manometer (AQ0012 / **GiO™** Manometer, 0~80 cmH₂O)
- 2 Hydrophobic Filter
- 3 3-way stopcock
- 4 Pressure line
- 5 Luer lock Syringe

Disposable Pressure Manometer



0~20 cmH₂O 0~30 cmH₂O 0~60 cmH₂O


- Designed to measure the air pressure of incoming air to patient.
- Special spring design for more accurate measurement.
- Color-coded range labeling for reading easier.
- Single patient use to minimize the risk of cross-contamination.
- Light-weight and easy to carry.
- Connection: 6.0F(elastic).

- AP0002** Manometer, 0~20 cmH₂O
- AP0007** Manometer, 0~30 cmH₂O
- AP0006** Manometer, 0~60 cmH₂O

Package: 25 pcs/carton



nAPV Circuit




Suction Port
Allows convenient suction without disengagement



Adjustable PEEP Valve
PEEP level adjustment 2-25 cmH₂O



Pressure Monitoring Port (Optional)
Connect to pressure monitoring system for proximal airway pressure



Artificial Airway

Resuscitation Mask

Babi.Plus® nAPV Circuit is a T-piece resuscitator for neonates weighing under 10 kg, which provides emergency pulmonary ventilation by means of mask or artificial airway through a gas power source. Operated under flow rate of 5-15 LPM, nAPV Circuit is available to deliver pressure up to 22 ± 2 cmH₂O at 15 LPM and PEEP level adjustment 2-25 cmH₂O.

| REF | Description | QTY |
|---------------|------------------------------|------------|
| AN0028 | nAPV Circuit | 10 pcs/box |
| AN0029 | nAPV Circuit w/Pressure Port | 10 pcs/box |

Babi.Plus™ nTest Lung

Pressure Monitoring Port
Connect to pressure monitoring system for proximal airway pressure

Bracket Test Lung
Bracket creates an approximate 1.0 ml/ cmH₂O compliance and allows test lung to simulate neonate lung with 25 ml tidal volume

Resistance Indicator
4 color-coded indicators easily identify the individual lung resistance. Available resistance of 90, 145, 300 and 600 cmH₂O/L/s at 1 liter per second

Test Lung without Bracket
Without bracket, test lung imitates lung condition with 60 ml tidal volume

Babi.Plus™ nTest Lung is an easy test device which simulates pulmonary physiology. It's intended for the demonstration and testing applications with neonatal ventilation systems. Each nTest Lung set includes a strap, two bracket test lungs and a carrying pouch. Various resistance of single test lungs (with or without bracket) are available for assembling the desired lung simulation.

| REF | Description | Content | QTY |
|--------|-------------------------|---------------------------------------------------|---------------|
| AN0004 | nTest Lung, R145x2 | A strap, two bracket test lungs, a carrying pouch | 10 pcs/box |
| AB0051 | nTest Lung Module, R90 | One test lung without bracket | 24 pcs/carton |
| AB0052 | nTest Lung Module, R600 | One bracket test lung | 24 pcs/carton |
| AB0053 | nTest Lung Module, R300 | One bracket test lung | 24 pcs/carton |
| AB0054 | nTest Lung Module, R145 | One bracket test lung | 24 pcs/carton |
| AB0055 | nTest Lung Module, R90 | One bracket test lung | 24 pcs/carton |

Venti. Plus™ Test Lung

Venti. Plus™ Test Lung is designed for testing mechanical ventilator functional properly. It is compact, easy-to-use, and capable of simulating a wide range of patient conditions.

- Calibrated to simulate the physical conditions of adult and pediatric respiratory system.
- Simulate level of resistance and lung compliance and provide consistent accuracy.
- Can be used prior to operating a mechanical ventilator and circuit on a patient to ensure patient safety.
- Excellent tool for training and demonstration.

- AB0001** Test Lung, 1 L
- AB0002** Test Lung, 0.5 L

Package: 20 pcs/corton



Emergency Care



Guedel Airway Management Kit

- To maintain or open patient's airway.
- Designed with reinforced bite block with a large flange that has a gentle curve to follow the contour of the tongue.

- AW0001** Guedel Airway 40 mm, Pink
- AW0046** Guedel Airway 50 mm, Blue
- AW0047** Guedel Airway 60 mm, Black
- AW0048** Guedel Airway 70 mm, White
- AW0005** Guedel Airway 80 mm, Green
- AW0006** Guedel Airway 90 mm, Yellow
- AW0049** Guedel Airway 100 mm, Red
- AW0002** Guedel Airway 110 mm, Orange
- AW0003** Guedel Airway 120 mm, Purple

Package: 200 pcs/carton



Berman Airway Management Kit

- Anatomical shape designed to follow the curvature of the tongue and oropharyngeal airway.
- Dual-side channel with holes minimize the risk of airway occlusion.
- Suction tube can be placed along the side channel of the Berman airway for insertion.

- AW0074** Bermen Airway 40 mm
- AW0050** Bermen Airway 50 mm
- AW0051** Bermen Airway 60 mm
- AW0052** Bermen Airway 70 mm
- AW0053** Bermen Airway 80 mm
- AW0007** Bermen Airway 90 mm
- AW0054** Bermen Airway 100 mm

Package: 200 pcs/carton



CPR-Super™ Mask



Comes with foldable mask, extension tubing and filter, to protect the emergency responder from potentially infectious body fluids.

AW0013 CPR-Super Mask

Package: 48 pcs/carton

Smile.Vac Handheld Suction



- Compact vacuum designed for cleaning the airway manually and properly.
- Unique one-way valve, silicone pump and catheter suction.
- Soft suction catheter allows easy insertion and minimizes skin irritation.

AW0014 Smile-Vac Handheld Suction

Package: 24 boxes/carton



Accessories



Silicone Face Mask



- Consists of hard shell for handling easily, and soft silicone cushion provides better seal and comfort during resuscitation or anesthesia.
- Transparent silicone rubber for mask and clear polysulfone (PSF) or polycarbonate (PC) for shell.

| REF | Description | Material | QTY |
|--------|-------------------|--------------|---------------|
| AM0085 | Silicone Mask, #3 | PSF/Silicone | 12 pcs/carton |
| AM0017 | Silicone Mask, #4 | PSF/Silicone | 12 pcs/carton |
| AM0018 | Silicone Mask, #5 | PSF/Silicone | 12 pcs/carton |
| AM0006 | Silicone Mask, #3 | PC/Silicone | 12 pcs/carton |
| AM0084 | Silicone Mask, #4 | PC/Silicone | 12 pcs/carton |
| AM0007 | Silicone Mask, #5 | PC/Silicone | 12 pcs/carton |


Sil-Flex™ Silicone Mask



- Ergonomic design with soft silicone material provides better mask seal and comfort during resuscitation or anesthesia.
- Have a minimum dead space for better air circulation.
- Bio-compatible and latex-free.

| REF | Description | QTY |
|--------|---------------------|---------------|
| AM0004 | Sil.Flex Mask, #0 | 60 pcs/carton |
| AM0005 | Sil.Flex Mask, #1 | 60 pcs/carton |
| AM0016 | Sil.Flex Mask, #2 | 60 pcs/carton |
| AM0023 | Sil.Flex-2 Mask, #3 | 12 pcs/carton |
| AM0024 | Sil.Flex-2 Mask, #4 | 12 pcs/carton |
| AM0086 | Sil.Flex-2 Mask, #5 | 12 pcs/carton |

Rendell Baker Silicone Mask



- The masks are designed for applications in resuscitation and anesthesia that require lower deadspace.
- High transparency silicone material has easier observation of patient's condition.
- Autoclavable up to 134°C.
- Available in 4 sizes.

- AM0019** Rendell Baker Silicone Mask, #0
- AM0020** Rendell Baker Silicone Mask, #1
- AM0021** Rendell Baker Silicone Mask, #2
- AM0022** Rendell Baker Silicone Mask, #3

Package: 60 pcs/carton

Air-soff™ Aircushion Mask

w/Valve



- A disposable mask for resuscitation, anesthesia, and oxygen or other aerosol delivery applications.
- Built-in check valve for air volume adjustments in the aircushion.
- Mask with the check valve is available in 7 sizes and color-coded for size identification.

w/o Valve



| REF | Color | Description | QTY |
|---------------|-------|--------------------------|---------------|
| AM0026 | ○ | Airsoft Mask, #0 w/Valve | 50 pcs/carton |
| AM0027 | ● | Airsoft Mask, #1 w/Valve | 50 pcs/carton |
| AM0028 | ● | Airsoft Mask, #2 w/Valve | 50 pcs/carton |
| AM0029 | ● | Airsoft Mask, #3 w/Valve | 50 pcs/carton |
| AM0030 | ● | Airsoft Mask, #4 w/Valve | 50 pcs/carton |
| AM0031 | ● | Airsoft Mask, #5 w/Valve | 50 pcs/carton |
| AM0032 | ● | Airsoft Mask, #6 w/Valve | 20 pcs/carton |
| AM0025 | ○ | Airsoft Mask, #0 | 50 pcs/carton |
| AM0092 | ● | Airsoft Mask, #1 | 50 pcs/carton |
| AM0093 | ● | Airsoft Mask, #2 | 50 pcs/carton |
| AM0094 | ● | Airsoft Mask, #3 | 50 pcs/carton |
| AM0095 | ● | Airsoft Mask, #4 | 50 pcs/carton |
| AM0096 | ● | Airsoft Mask, #5 | 50 pcs/carton |

nMask



15mm Connector

With two level barb designed for easier attachment

Sturdy and Flexible Shell

Soft but steady silicone shell prevents from deformation

Cushioned Rim

Allow full cover around the mouth and nose, especially designed for premature



Babi.Plus® nMask is designed for use with resuscitators and T-piece resuscitation devices. With ergonomic construction, **Babi.Plus**® nMask seals around the mouth and nose but does not cover the eyes or overlap the chin. The **Babi.Plus**® nMask is designed to reduce air leakage and skin irritation. 6 sizes of nMasks are available for premature and neonatal patients.

| REF | Description | QTY |
|---------------|--------------|-----------|
| AN0038 | nMask, 25 mm | 5 pcs/box |
| AN0039 | nMask, 30 mm | 5 pcs/box |
| AN0040 | nMask, 35 mm | 5 pcs/box |
| AN0041 | nMask, 40 mm | 5 pcs/box |
| AN0042 | nMask, 45 mm | 5 pcs/box |
| AN0043 | nMask, 50 mm | 5 pcs/box |

Diverter (for PEEP Valve & Filter)



- The Diverter fits on the NRV of the manual resuscitator.
- Suitable for attaching: PEEP Valve, HEPA, bacterial/viral filter, or another diverter to change the direction of exhaled air.
- Two models available: durable and disposable.

| REF | Description | Type | QTY |
|--------|---------------------------|------------|------------|
| AR0003 | MR-100 Diverter, 30/26 mm | Durable | 50 pcs/box |
| AR0005 | MR-100 Diverter, 30/26 mm | Disposable | 50 pcs/box |

Diverter Cap



- Designed to increase oxygen concentration and to direct exhaled air away from operator.
- Connector Port: 30F.

| REF | Description | Type | QTY |
|--------|---------------------------|------------|------------|
| AV0049 | Diverter Cap w/Valve, 30F | Disposable | 50 pcs/box |

Durable Adjustable PEEP Valves



- Designed to maintain a correct pressure in the patient's lungs at the end of the expiratory phase.
- Special spring mechanism engineered to compensate the tolerance under different flow rates to maintain high accuracy and consistency.
- Colour-coded designed enables to identify different pressure level easily.
- Made of PSF material and durable for repeated sterilization.

| REF | Description | Connector size | Color | QTY |
|--------|------------------------------------------|-------------------|--------|---------------|
| AV0016 | Adj. PEEP Valve, 2-10cmH ₂ O | 22F/15M | Orange | 50 pcs/carton |
| AV0035 | Adj. PEEP Valve, 2-10 cmH ₂ O | 30F | Orange | 50 pcs/carton |
| AV0003 | Adj. PEEP Valve, 5-20 cmH ₂ O | 30F, 22M, 22F/15M | Blue | 50 pcs/carton |
| AV0017 | Adj. PEEP Valve, 5-20cmH ₂ O | 22F/15M | Blue | 50 pcs/carton |
| AV0036 | Adj. PEEP Valve, 5-20 cmH ₂ O | 22M | Blue | 50 pcs/carton |
| AV0037 | Adj. PEEP Valve, 5-20 cmH ₂ O | 30F | Blue | 50 pcs/carton |

Disposable Adjustable PEEP Valves



- Designed to maintain a correct pressure in the patient's lungs at the end of the expiratory phase.
- Special spring mechanism engineered to compensate the tolerance under different flow rates to maintain high accuracy and consistency.
- Colour-coded designed enables to identify different pressure level easily.
- PC housing and **non-magnetic stainless steel**.
- Free for MRI condition.

| REF | Description | Connector size | Color | QTY |
|--------|--------------------------------------------------------|----------------|--------|---------------|
| AV0019 | Adj. PEEP Valve, 2-10 cmH ₂ O | 30F | Orange | 50 pcs/carton |
| AV0002 | Adj. PEEP Valve, 5-20cmH ₂ O | 22M/19F | Blue | 50 pcs/carton |
| AV0018 | Adj. PEEP Valve, 5-20cmH ₂ O | 22M | Blue | 50 pcs/carton |
| AV0004 | Adj. PEEP Valve, 5-20 cmH ₂ O | 30F | Blue | 50 pcs/carton |
| AV0038 | Adj. PEEP Valve, 5-20 cmH ₂ O | 22F | Blue | 50 pcs/carton |
| AV0092 | Adj. Peep Valve, 5-20 cmH ₂ O (w/ Diverter) | 30F | Blue | 25 pcs/carton |

Non-Rebreathing Valves (NRV)



| REF | Description | Material | QTY |
|--------|------------------------------------|----------|------------|
| AR0015 | MR-100 NRV, Adult | PSF | 50 pcs/box |
| AR0016 | MR-100 NRV, 40 cmH ₂ O | PSF | 50 pcs/box |
| AR0017 | MR-100 NRV, 60 cmH ₂ O | PSF | 50 pcs/box |
| AR0007 | R7 NRV, Adult | PC | 50 pcs/box |
| AR0065 | R7 NRV, 60 cmH ₂ O | PC | 50 pcs/box |
| AR0054 | Dispobag NRV, 40cmH ₂ O | PC+PP | 50 pcs/box |

Intake Valves



| REF | Description | QTY |
|--------|-------------------------------------|------------|
| AR0051 | MR-100 Plus Intake Valve Kit | 50 pcs/box |
| AV0086 | MR-100 Plus Valve Kit, 5 pcs | 50 pcs/box |
| AR0050 | R7 Intake Valve Kit | 50 pcs/box |
| AR0018 | MR-100 Intake Valve Set (w/ valves) | 50 pcs/box |
| AR0049 | MR-100 Intake Valve Assy | 50 pcs/box |
| AR0004 | MR-100 Valve Kit, 5 pcs | 50 pcs/box |
| AV0051 | MR-100 Intake Valve Disc | 50 pcs/box |
| AV0053 | MR-100 Mushroom Valve for Intake | 50 pcs/box |

Valves




| REF | Description | QTY |
|--------|------------------------------|------------|
| AV0086 | MR-100 Plus Valve Kit, 5 pcs | 50 pkg/box |
| AR0004 | MR-100 Valve Kit, 5 pcs | 50 pkg/box |
| AR0013 | MR-100 Duckbill Valve | 50 pkg/box |

Reservoir Valve & Bag



| REF | Description | Material | QTY |
|--------|--------------------------------|--------------|---------------|
| AV0054 | MR-100 Reservoir Valve | PSF | 50 pcs/carton |
| AR0097 | MR-100 Reservoir Bag, 2000 ml | PSF/Silicone | 50 pcs/carton |
| AR0098 | MR-100 Reservoir Bag, 1000 ml | PSF/Silicone | 50 pcs/carton |
| AR0099 | MR-100 Reservoir Bag, 500 ml | PSF/Silicone | 50 pcs/carton |
| AR0019 | MR-100 Reservoir Bag, 2500 ml | PSF/PVC | 50 pcs/carton |
| AR0020 | MR-100 Reservoir Bag, 600 ml | PSF/PVC | 50 pcs/carton |
| AR0086 | Rescu-7 Reservoir Bag, 2500 ml | PC/PVC | 50 pcs/carton |
| AR0087 | Rescu-7 Reservoir Bag, 600 ml | PC/PVC | 50 pcs/carton |

Filter 



Electric filters are made of electrostatic media to pull airborne particles and organics out of the air through the use of static electricity. They are widely used in applications requiring higher filtration efficiency and lower pressure drop compared to conventional mechanical filters.



Viral / Bacterial Filter

High efficiency bacterial filter to minimize cross-contamination between patients, equipment and other healthcare practitioners.

| REF | Description | Resistance to flow at 30L/min (cmH ₂ O) | Compressible Volume (ml) | Bacterial Filtration Efficiency | Viral Filtration Efficiency | Luer | QTY |
|--------|--------------------------|----------------------------------------------------|--------------------------|---------------------------------|-----------------------------|------|---------------|
| AF0005 | Filter, 22F/15M w/Luer | 0.950 | 39.93 | 99.999% | 99.99% | ● | 50 pcs/carton |
| AF0007 | Filter, 22F/15M, 22/15mm | 0.825 | 37.68 | 99.999% | 99.99% | N/A | 50 pcs/carton |
| AF0008 | Filter, 30F, 22/15mm | 0.625 | 48.58 | 99.999% | 99.99% | N/A | 50 pcs/carton |
| AF0009 | Filter, 30F, 30M | 0.535 | 46.29 | 99.999% | 99.99% | N/A | 50 pcs/carton |

Filter 



Electrostatic Bacterial Filter

High-performing Electrostatic Bacterial Filter not only protects patients from contaminating by bacterial and viruses but also avoids the equipment being moisturized. The use of breathing filters in the anesthesia and ICU, as well as other settings, helps to address cross-infection, a concern commonly associated with mechanical ventilation.

- Bacterial Filtration Efficiency : 99.99%.
- Viral Filtration Efficiency : 99.99%.

| REF | Description | Resistance (cmH ₂ O@LPM) | Compressible Volume (ml) | Bacterial Filtration Efficiency | Viral Filtration Efficiency | Luer | QTY |
|--------|------------------------------|-------------------------------------|--------------------------|---------------------------------|-----------------------------|------|----------------|
| AF0011 | Filter, 30F, 30M | 0.77@40 | <99.37 | 99.99% | 99.99% | N/A | 150 pcs/carton |
| AF0016 | Filter, 22F, 22/15mm | 2.4@60 | <86.1 | 99.99% | 99.99% | N/A | 150 pcs/carton |
| AF0012 | Exhalometer filter, 30F, 30M | 1.8@50 | <71 | 99.99% | 99.99% | N/A | 50 pcs/carton |

ISO Mount Resuscitator Hanger



- Keep manual resuscitator organized in a hospital or emergency setting and make it readily accessible.
- ISO compliant holder slip fits on any pole or rail clamp with ISO standard holder.

AB0004 ISO Mount Resuscitator Hanger

Package: 50 pcs/carton

ISO Wall Mount Cradle



- Keep essential life-supporting device readily available and organized.
- ISO compliant holder fits any device.

AB0226 ISO Wall Mount Cradle

Package: 60 boxes/carton

Compact Storage Case



For storing manual resuscitator, mask, oxygen tubing, airway and other interface devices.

AR0100 Storage Case for Resuscitator

Package: 10 pcs/carton

| REF | Old REF | Page |
|-----------------|---------|------|
| AB0001 | 6011 | 28 |
| AB0002 | 6012 | 28 |
| AB0004 | 2016 | 41 |
| AB0051 * | BL1-01 | 28 |
| AB0052 * | BL1-02 | 28 |
| AB0053 * | BL1-03 | 28 |
| AB0054 * | BL1-04 | 28 |
| AB0055 * | BL1-05 | 28 |
| AB0226 | CL10 | 41 |
| AF0003 | 39015 | 24 |
| AF0005 | 7FAD11 | 40 |
| AF0007 | 7FAD12 | 40 |
| AF0008 | 7FSD31 | 40 |
| AF0009 | 7FSD32 | 40 |
| AF0011 | 39018 | 40 |
| AF0012 | 39019 | 40 |
| AF0016 | 70015 | 40 |
| AM0004 | 5120 | 33 |
| AM0005 | 5121 | 33 |
| AM0006 | 5133 | 33 |
| AM0007 | 5135 | 33 |
| AM0016 | 5122 | 33 |
| AM0017 | 5144 | 33 |
| AM0018 | 5145 | 33 |
| AM0019 | 5150 | 34 |
| AM0020 | 5151 | 34 |
| AM0021 | 5152 | 34 |
| AM0022 | 5153 | 34 |
| AM0023 | 5181 | 33 |
| AM0024 | 5182 | 33 |
| AM0025 | 5301 | 34 |
| AM0026 | 5311 | 34 |
| AM0027 | 5312 | 34 |
| AM0028 | 5313 | 34 |
| AM0029 | 5314 | 34 |
| AM0030 | 5315 | 34 |
| AM0031 | 5316 | 34 |
| AM0032 | 5337 | 34 |
| AM0084 | 5134 | 33 |
| AM0085 | 5143 | 33 |
| AM0086 | 5183 | 33 |
| AM0092 | 5302 | 34 |
| AM0093 | 5303 | 34 |
| AM0094 | 5304 | 34 |

| REF | Old REF | Page |
|-----------------|---------|-------|
| AM0095 | 5305 | 34 |
| AM0096 | 5306 | 34 |
| AN0003 | BR30 | 18 |
| AN0004 | BL10 | 28 |
| AN0028 | AND0001 | 27 |
| AN0029 | AND0002 | 27 |
| AN0038 | ANJ0001 | 35 |
| AN0039 | ANJ0002 | 35 |
| AN0040 | ANJ0003 | 35 |
| AN0041 | ANJ0004 | 35 |
| AN0042 | ANJ0005 | 35 |
| AN0043 | ANJ0006 | 35 |
| AN0082 | BR32 | 18 |
| AP0001 * | GC22-01 | 25 |
| AP0002 | 4527 | 26 |
| AP0003 * | GN10 | 25 |
| AP0005 * | GN30 | 25 |
| AP0006 | 4524 | 26 |
| AP0007 | 4526 | 26 |
| AQ0008 | GB10 | 24 |
| AQ0012 | GB20 | 24 |
| AQ0013 | GB30 | 24 |
| AQ0014 | GB40 | 24 |
| AQ0015 | GB60 | 24 |
| AQ0016 | GB50 | 24 |
| AR0001 * | 1068 | 12 |
| AR0002 | 2111 | 12 |
| AR0003 | 2001 | 36 |
| AR0004 | 2021 | 38,39 |
| AR0005 | 2033 | 36 |
| AR0007 | 22007 | 38 |
| AR0009 | 2121 | 12 |
| AR0010 | 2133 | 12 |
| AR0011 | 2223 | 13 |
| AR0012 | 2308 | 16 |
| AR0013 | 20006 | 39 |
| AR0015 | 21001 | 38 |
| AR0016 | 21002 | 38 |
| AR0017 | 21003 | 38 |
| AR0018 | 23001 | 38 |
| AR0019 | 24005 | 39 |
| AR0020 | 24006 | 39 |
| AR0022 | 2318 | 16 |
| AR0023 | H025 | 17 |

* Not Approved by Taiwan Food and Drug Administration

Clean & Sterilization

MATERIALS USED FOR GALEMED PRODUCTS:






Single patient use or disposable items are prohibited to be reused.
Reusable items are treated as below:

| Material | Autoclave 134°C | EtO gas | Liquid Sterilizer |
|---------------------|------------------|---------|-------------------|
| ABS | Distort | Yes | Yes |
| Polycarbonate (PC) | Distort | Yes | Excellent |
| Polyethylene (PE) | Marginal to poor | Yes | Excellent |
| Polypropylene (PP) | Yes | Yes | Excellent |
| Polysulfone | Excellent | Yes | Excellent |
| PVC | Marginal to poor | Yes | Distort |
| Silicone rubber | Yes | Yes | Excellent |
| Stainless, Aluminum | Excellent | Yes | Excellent |
| Rubber | Distort | Yes | Yes |


CLEANING & STERILIZATION STEPS:

- 1 Disassemble the product as per the IFU, if necessary.
- 2 Wash components thoroughly in lukewarm water with a mild detergent which shall be compatible with the material of the device.
- 3 Rinse the components thoroughly in lukewarm water to remove all traces of detergent.
- 4 Sterilize the components using one of the following methods:
 - a. Autoclaved (max 134°C /273°F).
 - b. Ethylene oxide.
 - c. The most common disinfecting solution is used the equipment coming from the contact with the patient. Rinse thoroughly with water after sterilization.
- 5 Dry all components thoroughly after sterilization.
- 6 Inspect all components prior to usage; if any tear or any damage, please replace it.
- 7 Repack properly after usage to avoid any contamination.

Symbol Guide For This Catalog

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  Do not reuse To indicate that the product is for single use only. |  Latex Indicates that natural rubber latex was not used in the manufacturing of the product, its container, or its packaging. |  121 Sterilizable in a steam sterilizer (autoclave) at temperature 121°C (250°F) will be accepted |
|  DEHP Indicates that product that does not contain the phthalate plasticizer DEHP. |  134 Sterilizable in a steam sterilizer (autoclave) at temperature 134°C (273°F) will be Sterilizable | |

Date / /



AP2 UG (haftungsbeschränkt)
Erich-Ollenhauer-Str.12
51377 Leverkusen
Handelsregister: HRB 111772 Registergericht: Amtsgericht Köln
Vertreten durch: Paul Stamirski, Anton Zirnow
Telefon: +49 (0) 214 690 58 414
Email: info@ap2.tech